

Procedures for monthly fire extinguishers inspection

Did you know that it is required for every hand portable fire extinguisher to be inspected every month and signed off?

NFPA 10 Standard for Portable Fire Extinguishers 2018 Edition

Chapter 7 Inspection, Maintenance, and Recharging of Portable Fire Extinguishers

- 7.1. General
 - 7.1.2.3. Persons performing 30-day inspections shall not be required to be certified.
- 7.2.1. Frequency

7.2.1.1. - Fire Extinguishers and Class D extinguishing agents shall be inspected either manually or by means of an electronic monitoring device/system at intervals not exceeding 31-days.

What should I be inspecting and how do I maintain a log-book?

When performing the monthly inspections on portable fire extinguishers see the instructions below and follow the chart example at the end of this letter.

Procedures in inspection of hand portable fire extinguishers as per California Fire Code 2016

- (1) Located in designated place.
- (2) No obstructions to access or visibility.
- (3) Operating instructions on nameplate legible and facing outward.
- (4) Safety seals and tamper indicators not broken or missing.
- (5) Examine for obvious physical damage, corrosion, leakage or clogged nozzle.
- (6) Pressure gauge reading or indicator in the operable range or position.
- (7) Fullness determined be weighing or hefting.

MONTHLY HAND PORTABLE FIRE EXTINGUISHER INSPECTION REPORT										
LOCATION	SIZE	RATING	PRESENT	OBSTRUCTIONS PRESENT	OPERATING INSTRUCTIONS	SAFETY SEALS PRESENT	PHYSICAL DAMAGE	PRESSURE GAUGE INDICATOR	FULL	INITALED BACK OF TAG
OFFICE	5LB	2A 10BC	YES	NONE	YES	YES	NONE	OK	YES	YES

MONTHLY HAND PORTABLE FIRE EXTINGUISHER INSPECTION REPORT										
LOCATION	SIZE	RATING	PRESENT	OBSTRUCTIONS PRESENT	OPERATING INSTRUCTIONS	SAFETY SEALS PRESENT	PHYSICAL DAMAGE	PRESSURE GAUGE INDICATOR	FULL	INITALED BACK OF TAG
OFFICE	5LB	2A 10BC	YES	NONE	YES	YES	NONE	OK	YES	YES
	_									
				_	_		_	_		



Your service company will

fill out the front of the service tag and you the customer are responsible for the back!